


GS101

Interactive Flat Panel Mobile Stand Installation Guide



Package Contents:

Before use, make sure the following items are included in the package. If anything is missing, contact the retailer where you purchased the product.

No.	Drawing	Part Name	PCS	Purpose
1		Upper Support	2	Assembled with the Lower Supports
2		Lower Support	2	Assembled with the Upper Supports
3		Support Tray	1	Attached to the Support Frame
4		Upper Crossbeam	1	Attached to the Support Frame
5		Vertical Mounting Bracket with M5 × 100 Safety Screw	2	Secures the Vertical Mounting Brackets
6		2.5 in. M12 Locking Caster	4	Installed on the Lower Supports
7		M12 Spring Washer	4	Used with the Casters
8		M8 × 20 Black Hex-Head Screw	4	Connects the Upper and Lower Supports
9		M8 × 65 Black Hex-Head Combination Screw	8	Secures the Upper Crossbeam and Support Trays
10		M8 × 25 Pan-Head Combination Screw	4	Secures the Vertical Mounting Brackets
11		17 mm Open-End Wrench	1	Tightens the Casters

Assemble the Side Supports

See Figures 1–3

1. Install the casters and M12 spring washers onto each lower support.
2. Attach each upper support using two M8 × 20 black hex-head screws.
3. Repeat for the other side.




Figure 1




Figure 2



Figure 3

Install the Crossbeam and Tray

See Figures 4–7

1. Stand both side supports upright.
2. Loosen the two M8 × 20 black hex-head screws at Position A.
3. Position the upper crossbeam onto both side supports. Secure it with four M8 × 65 black hex-head combination screws, then tighten the screws at Position A.
4. Attach the support tray using four M8 × 65 black hex-head combination screws.




Figure 4




Figure 5




Figure 6




Figure 7


Install the Vertical Brackets

Vertical Mounting Brackets


Select the appropriate mounting holes according to the display size (65", 75", or 86").

Back of the Interactive Flat Panel

Attach the two vertical mounting brackets to the back of the interactive flat panel as shown.




Attach the vertical mounting brackets to the back of the interactive flat panel using four M8 × 25 pan-head combination screws.



Mount the Interactive Flat Panel

Prepare the Mobile Floor Stand


Lock all four casters before installation to prevent the stand from moving.



Mount the Interactive Flat Panel onto the Mobile Floor Stand.

Carefully lift the interactive flat panel and hook the vertical mounting brackets onto the upper crossbeam. Make sure the display is centered on the stand.

Note: At least two people are required to install the interactive flat panel onto the mobile stand. Do not attempt installation alone, as this may result in injury or product damage.



Secure the Interactive Flat Panel to the Mobile Floor Stand

Tighten each M5 × 100 safety screw upward until the vertical mounting bracket is securely locked in place.

